



Overview:

WKP-SIM seamlessly blends style and security resulting in a class leading product. The WKP-SIM is slim and stylish and can be installed in seconds. The WKP-SIM is easy to mount, easy to pair, and easy to configure, ensuring installation time is minimized. The WKP-SIM uses enhanced, low current RF technology which provides superior communications and energy saving features ensures a long battery life. The keypad offers a selection of quick select panic alarms. The set/unset fobs are restricted for use with this keypad only.

CLASS LEADING SECURITY PROTECTION:

- ✓ Multi-coloured LED indications
- ✓ Supplied with easy set/unset fobs
- ✓ Quick set options
- ✓ Panic alarm options
- ✓ Fire and medical alert options
- ✓ System state hiding option
- ✓ Selectable button push beep volume

Superior RF and battery performance:

Long battery life	With high performance Lithium batteries and APS (Automatic Power Save) technology the WKP-SIM keypad has a battery life of 3 years.
Long RF range	500m range in open space means that a single transceiver can cover the majority of installations.

Quick installation and configuration:

Easy to mount	The WKP-SIM can be quickly screwed to the target surface in seconds. The supplied backplate has an alignment device for the correct positioning.
Easy to pair	Smart Pairing mechanism allows the device to pair with the SPC transceiver in seconds. Key features include: <ul style="list-style-type: none">- Automatic pairing on battery insertion- LED guided Enrolment- LED guided status indications
Easy to configure	The WKP-SIM device is entirely firmware configurable 'over the air'. Configurable features include: <ul style="list-style-type: none">- Keypad volume control- LED behaviour- Speaker volume for alarm indications- Button push beep volume- Hide/unhide system status



Transmission:

Frequency Band	868-869 MHz
----------------	-------------

Battery / Power:

Power Supply	2 x AA Lithium batteries, type L91
Battery Life	Up to 3 years
Range in open space	500m transmission range in open space
Current Draw	Standby ~4µA Transmission~28 mA Average ~10 mA
Transmit power	~ 14dBm
APS Automatic Power Saving	Yes

Connection Properties:

Tamper	Lid opening and removal
Event Transmission	Arm/disarm, Panic & alerts: fire and medical, tamper open/close, supervision, battery status
Audible Warning	80dB at 1 metre



Mounting specifications:

Operating Temperature	-10°C to +55°C
Dimensions	143mm x 85mm x 20mm
Weight (Inc. battery)	200g
LED Indications	Multi-coloured LED indications

Ordering Information:

WKP-SIM	V54543-F154-A300	WKP-SIM Wireless keypad with fobs
WFOB	N54539-Z130-A300	Fobs for WKP-SIM